

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	"753523".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 07:04
L2	9774	707/6,7,104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 08:56
L3	1076	("256" near3 (index indice\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 08:57
L4	820	("256" near2 (index indice\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 08:57
L5	11	4 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 09:06
L6	28	4 and (search\$3 WITH (sub?string substring string))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 08:57
L7	129	4 and (((creat\$3 writ\$5 making make new) WITH (sub?string substring string))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 08:58
L8	0	4 and (((creat\$3 writ\$5 making make new) WITH (sub?string substring string)) SAME (column) SAME ("256" near2 (index indice\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 08:59

## EAST Search History

L9	0	4 and (((creat\$3 writ\$5 making make new) WITH (sub?string substring string)) SAME ("256" near2 (index indice\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 08:59
L10	0	4 and (((creat\$3 writ\$5 making make new) WITH (sub?string substring string)) SAME ("256" near3 (index indice\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 08:59
L11	4748	(character string sub?string substring) near2 (index indice\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 09:06
L12	292	((character string sub?string substring) near2 (index indice\$1)) SAME (column)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 09:10
L13	73	12 and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 09:09
L14	17	12 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 09:10
L15	4	("256" WITH ((character string sub?string substring) near2 (index indice\$1))) SAME (column)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 12:48
L16	1623	invert\$3 near3 index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 12:48

## EAST Search History

L17	655	"inverted index"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 12:48
L18	59	"inverted index" AND ("bit map")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 12:49
L19	2	"inverted index" AND ("bit map") AND (index near2 column)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 12:51
L20	2	"inverted index" AND ("bit map") AND (index near2 column) and ((character string substring sub?string) near3 (index indice\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 12:55